

07/09/2009

please, do  
not enter.  
thanks.

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A cover for a hinge side of a door, the cover comprising: a first and a second strip of a rigid material connected by a first joint such that the cover is flexible about its major axis, the first strip having a T-section member linked by a second joint to its long edge, the T-section member being supported in a C-shaped channel section such that the T-section member may move longitudinally with respect to the C-shaped channel, and the second strip having a support member linked by an ~~adjacent~~ third joint adjacent to its long edge so that one edge of the cover may be secured to the door and the other edge of the cover to a door frame, and wherein the second strip includes a fastening member configured to attach the cover to a second cover.

2. (Previously Presented) The cover of Claim 1, in which the fastening member is one or more clip fittings.

3. (Previously Presented) The cover of Claim 1, in which the fastening member further includes a strip of adhesive material.

4. (Previously Presented) The cover of Claim 1, in which the cover is formed of four rigid portions connected by three hinges.

5. (Previously Presented) The cover of Claim 1, in which the cover is formed of a fibrous or fluted board material.

6. (Cancelled)

7. (Currently Amended) The cover of Claim 1, in which the cover is shaped from a plastic material with the first, second, and third joints being formed integrally in a plastics moulding composition.

8-10. (Cancelled)

11. (Previously Presented) The cover of claim 1, wherein the fastening member attaches to a T-section member of a first strip of the second cover.

12. (Previously Presented) The cover of claim 1, wherein the fastening member contacts the door and provides support for the second strip member such that the cover remains in a convex shape.

13. (Currently Amended) A cover for a hinge side of a door comprising:  
a first cover and a second cover, the first cover and second cover each including,  
a first and a second strip of a rigid material connected by a first joint, the first strip having a T-section member linked by a second joint to its long edge, the second strip having a support member linked by a third joint to its long edge and a fastening member,

wherein the first strip of the second cover engages with the fastening member of the first cover to form a ~~wide~~-single cover and the T-section member of the first cover is engaged to a C-shaped channel section attached to a door frame and the support member of the second cover is attached to a door.

14. (Previously Presented) The cover of claim 13, wherein the fastening member of the second cover contacts the door and provides support for second cover such that the long cover remains in a convex shape.

15. (Previously Presented) The cover of claim 13, wherein at least one angle support is attached to a back side of the long cover.

16. (Previously Presented) The cover of claim 15, wherein the at least one angle support includes a plurality of hinges and at least two extendable pieces in contact with the long cover.

17. (Currently Amended) A cover comprising:

a first cover having a first and a second strip of a rigid material connected by a first joint; the first strip having a T-section member linked by a second joint to its long edge, the T-section member configured to attach to a C-shaped channel section attached to one of a door frame and a door;

the second strip having a support member linked by a third joint to its long edge and a fastening member, the support member configured to attach to one of a door frame and a door; and

the fastening member configured to receive and engage a second cover in parallel with the first cover.

18. (Previously Presented) The cover of claim 17, wherein the fastening member includes a projection in parallel the second strip forming a cavity between the projection and second strip, wherein the cavity is configured to receive and engage a first strip of the second cover.

19. (Currently Amended) The cover of claim 18, wherein the projection and cavity of the first cover engage the second cover to form a ~~wide~~single cover.

20. (Currently Amended) The cover of claim 19, wherein the ~~wide~~single cover includes at least one angle support attached to a back side of the ~~wide~~single cover.